

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026 - 2027

Clinical Material in Hospital

Name of College / Institute : Navjeevan Nursing College, Chandrapur.
Faculty : Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own / parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	PARENT HOSPITAL-100 BEDED	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	YES	Adequate
b.	Student Bed Ratio for UG&PG to be verified:(As per MSR) Calculate at Actual	YES	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%)	YES 80 %	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	YES 83 1200 51 71	Adequate
<ul style="list-style-type: none"> • As per Central Council Norms / University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate"& do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify :-

Date:-


Principal
 Dean (Principal Stamp & Signature)
 Navjeevan Nursing College
 Chandrapur

Chairman of LIC

Member Of LIC

Member Of LIC



Dr. Kuber's

Shri

Sai

Divine Cure
Multi-speciality
Hospital (ISO 9001:2008 Certified)

60

Dr. Kuber

M.D. (Med.), B.C.P.S. (Med.)
Consultant Cardiologist,
Diabetologist & Physician

Bhanapath Ward, Chandrapur - 442 402, Ph.: 07172-252456, 256456
website : www.dr.kuberhospital.com, E-mail : drkuber.kolpalkwar@rediffmail.com

दि. २६/१०/२०२२

प्रती,

अध्यक्ष

ग्रामीण शैक्षणिक व संस्कृती विकास मंडळ

चामोशी

जिल्हा, गडचिरोली

विषय :- आपल्या संस्थेस Bsc. Nursing college करिता या दवाखान्याचे सलाहनीकरण करणे बाबत

संदर्भ :- आपले पत्र ८६/२०२२ दि. २६/१०/२०२२

उपरोक्त विशयांवय संस्थे द्वारे प्रस्थावित Bsc. Nursing college करिता या दवाखान्याचे सलाहनीकरण करणे बाबत विनंती केलेली आहे.

त्या अनुसरून खालील अटी व शर्तीवर श्री साई डीवाईन रुजर मल्टी स्पेशालीटी हॉस्पिटल (१०० bedded) चंद्रपूर याचे सलाहनीकरण करण्यात येत आहे.

- १) विद्यार्थ्यांनी प्रताक्षीक अनुभव घेतल्याशिवाय प्रमाणपत्र मिडनार नाही.
- २) प्रताक्षीक दरम्यान साहित्याची तुट फुट झाल्यास संस्थे कडून पूर्ण रक्कम वसूल केली जाईल.
- ३) विद्यार्थ्यांनी प्रताक्षीक अनुभवा करिता पाठवितांना शाषण मान्यतेचे ब्याच परमिशान जोडणे आवश्यक राहिल.
- ४) विद्यार्थ्यांनी च्या वागणुकी व्यवस्थित नसल्यास त्यांना प्रताक्षीका करिता रोकण्याचा अधिकार हॉस्पिटल चा असेल.
- ५) विद्यार्थ्यांनीची आई, डी प्रुफ व प्रशिक्षण कालावधीतील निवासी पुरावा सादरकरणे आवश्यक राहिल.

Shri Sai Divine Cure
Multispeciality Hospital
Bhanapath Ward, Chandrapur

Principal

Navjeevan Nursing College
Chandrapur

Dr. Parag Patil, C.S.I.P.S., M.S.E.D. Co. Ltd. (V.C.U. & M.D.)



महाराष्ट्र MAHARASHTRA

© 2021 ©

ZW 564107

29 AUG 2022




MOU

MOU करून घेणाऱ्या नर्सिंग संस्थेचे नांव :- ग्रामीण शैक्षणिक व सांस्कृतिक विकास मंडळ, चामोशी, ता. चामोशी, जि. गडचिरोली द्वारा संचालित नवजीवन नर्सिंग कॉलेज (बि.एस.सी.) चंद्रपूर

MOU करून देणाऱ्या रुग्णालय संचालकाचे नांव :- डॉ. कुबेर कोतपल्लीवार, श्री. साई डिव्हाईन क्युअर मल्टी स्पेशलिटी हॉस्पिटल, चंद्रपूर

उपरोक्त अन्वये ग्रामीण शैक्षणिक व सांस्कृतिक विकास मंडळ, चामोशी, ता. चामोशी, जि. गडचिरोली द्वारा संचालित नवजीवन नर्सिंग कॉलेज (बि.एस.सी.) डी.आर.सी. कॉलनी, राजीव नगर, बुलारशा रोड, चंद्रपूर येथे चालविल्या जाते. संस्थेच्या बि.एस.सी. नर्सिंग प्रशिक्षणार्थीना प्रात्याक्षीक अनुभव करीता परेट रुग्णालयाची गरज असल्याने संस्थेस डॉ. कुबेर कोतपल्लीवार, श्री. साई डिव्हाईन क्युअर मल्टी स्पेशलिटी हॉस्पिटल, चंद्रपूर यांच्या सोबत प्रशिक्षणार्थीना प्रात्याक्षिक अनुभव सदर रुग्णालयात घेणे करीता व रुग्णालयाने सदर प्रशिक्षणार्थीना प्रात्याक्षिक अनुभव देणे करीता मान्य केले. व तसे नर्सिंग संस्था व रुग्णालय यांच्यामध्ये सामंजस्य करार MOU करून देत आहे. सदर MOU संस्था व रुग्णालय यांच्या हित्याचे असल्याने कुठल्याही दुबावाखाली न राहता करण्यात येत आहे.


Principal
Navjeevan Nursing College
Chandrapur

३३ ज्योतिष/२०२२/२२
 नवजीवन नर्सिंग कॉलेज
 १००/-
 ३५९०५ - दिनक
 २९/०८/२२
 प्रो.

MOU च्या अटी व शर्ती खालील प्रमाणे राहतील.

१. प्रशिक्षणार्थीच्या प्रशिक्षणा दरम्यान प्रशिक्षणार्थीची संपूर्ण जोखीम नर्सिंग संस्थेची राहिल.
२. प्रशिक्षणार्थीच्या प्रशिक्षणा दरम्यान साहित्याची तुटफुट झाल्यास नर्सिंग संस्था भरपाई करेल.
३. प्रशिक्षणार्थीच्या प्रशिक्षणा दरम्यान त्यांना होणताही मोबदला रूग्णालयाद्वारे दिला जाणार नाही.
४. नर्सिंग प्रशिक्षण संस्थेस अधिकृतित्या शासन मान्यता घेणे बंधन कारक राहिल. व शासन मान्यता मिळाल्यावरच सदर MOU अमलात आणल्या जाईल.

तरी वरील अटी व शर्तीस अनुसरून ग्रामीण शैक्षणिक व सांस्कृतीक विकास मंडळ, चामोशी, ता. चामोशी, जि. गडचिरोली द्वारा संचालित नवजीवन नर्सिंग कॉलेज (बि.एस.सी.) डी.आर.सी. कॉलनी, राजीव नगर, बल्लारशा रोड, चंद्रपूर व डॉ. कुबेर कोतपल्लीवार, श्री. साई डिवाईन क्युअर मल्टी स्पेशालिटी हॉस्पिटल, चंद्रपूर याद्वारे MOU स्विकृत करण्यात येत आहे.

MOU करून घेणार

ग्रामीण शैक्षणिक व सांस्कृतीक विकास मंडळ,
 चामोशी, ता. चामोशी, जि. गडचिरोली
 द्वारा संचालित
 नवजीवन नर्सिंग कॉलेज (बि.एस.सी.) चंद्रपूर

MOU करून देणार

डॉ. कुबेर कोतपल्लीवार
 श्री. साई डिवाईन क्युअर मल्टी स्पेशालिटी
 हॉस्पिटल, चंद्रपूर

Shri Sai Divine Cure
Multispeciality Hospital
 Bhanapeth Ward, Chandrapur

Principal
 Navjeevan Nursing College
 Chandrapur

CHANDRAPUR CITY MUNICIPAL CORPORATION CHANDRAPUR



FROM 'C'
{See Rule 5}

CERTIFICATE OF REGISTRATION/RENEWAL UNDER SECTION : OF THE MAHARASHTRA NURSING HOMES REGISTRATION ACT, 19

This is to certify that Shri/Smt. Dr. Kuber M. Kotpalliwar
has been registered under the Maharashtra Nursing Homes Registration Act, 1949, in
respect of Shri Sai Divine Cure Multi-speciality Hospital
situated at Bhanapeth Ward, Chandrapur
and has been authorized to carry on the said nursing home.

❖ Registration No.	: <u>060/2011</u>
❖ Date of Registration/ Renewal	: <u>01/04/2024</u>
❖ Place	: <u>Chandrapur</u>
❖ Beds	: <u>100</u>
a) Number of Maternity beds	: <u>10</u>
b) Number of other patient beds	: <u>90</u>
c) Total number of beds (a+b)	: <u>100</u>
❖ Date of issue of certificate	: <u>10/05/2024</u>

This certificate of registration shall be valid upto 31st March 20 27.



(Signature)
Medical Officer of Health
Chandrapur City Municipal Corporation,
CHANDRAPUR

Note : This Certificate shall be displayed at conspicuous place in the Nursing Home.

Navjeevan

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/M.S.I

Date: 10/11/2023

No:- Format1.0/PSO/UAN No.0000171376/CO/2311000995

To,
Shri Sai Divine Cure Multi-Speciality Hospital
Bhanapeth Ward,
In Front Of State Bank Of India Main Branch,
Kasturba Road, Chandrapur,



Email: drkuber.kotpalliwar@rediffmail.com
Contact No.:9823156466

Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Combined Consent and Bio-Medical Waste Authorization granted by the Board vide no. Formate 1.0/BO/PSO/HOD:2010000061 dated 05.10.2020
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 02/06/2023
 3. Scrutiny mail sent to HCE on 05.09.2023
 4. Your reply submitted through letter dated 06.11.2023

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent to Operate and BMW Authorization to HCE. under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **05-06-2023 To 04-06-2025**
2. The capital investment of the HCF is ₹672.86 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 3245.00 M² with Built-up area 2859.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 60/2011 valid upto 31-03-2024)

I. General Beds : 90 Nos	II. ICU/ICU Beds : 12 Nos
III. Operation Theatre : 3 Nos	IV. Maternity Beds : 10 Nos
V. Oncology Beds : 10 Nos	
VI. Other Beds : 33 Nos	

5. **Conditions under the Water (P&CP) Act, 1974:-**

[Signature]
Principal
Navjeevan Nursing College
Chandrapur

- Quantity of total water consumption shall not exceed 12 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

- You shall use the fuel for DG set as specified in the **Annexure-II**.
- You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr.No.	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. Conditions under Solid Waste Management rules 2016

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

- You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
- You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals India Pvt Ltd - Chandrapur, Chandrapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
- Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
- Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

No.	Color	Waste Category	Quantity (kg/Day)	Segregation	Management
1	Yellow	a) Human Anatomical waste	100.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals India Pvt Ltd - Chandrapur, Chandrapur Chandrapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	150.00		
		d) Expired or Discarded Medicines	50.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	50.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	150.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals India Pvt Ltd - Chandrapur, Chandrapur Chandrapur
3	White (Translucent)	Waste sharps including Metals	50.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals India Pvt Ltd - Chandrapur, Chandrapur Chandrapur
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals India Pvt Ltd - Chandrapur, Chandrapur Chandrapur
		b) Metallic body implants	10.00		

Principal
Navjeevan Nursing College
Chandrapur

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall extend the bank guarantee of INR1.5 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Chandrapur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



Ranjay

da0b95f9
ad14a870
dea23e7a
2fa6e231
18c7b163
7d086584
235d9456
da44620b

Signed by: Dr. Vishwajeet Kamesh Thakur
Principal Scientific Officer
For and on behalf of
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2023-11-10 14:52:17 IST

Received Consent/Authorization fee of

Sr.No	Amount(Rs.)	Transaction/DR.No	Date	Transaction Type
1	75000.00	TXN2306000357	02/06/2023	Online Payment

Balance amount of Rs. 48500 will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer, MPCB, Chandrapur and Sub-Regional Officer, MPCB, Chandrapur - SRO shall verify the performance of STP /ETP as per std norms.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

AP
Principal
Navjeevan Nursing College
Chandrapur

Responsibilities of the Health Care Facility

SCHEDULE-II

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals India Pvt Ltd - Chandrapur, Chandrapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Chandrapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

(Signature)
 [Signature]

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Description	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	10.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	8	As per clause 'C'	On land for gardening
2	Trade effluent	1.5	As per clause 'C'	On land for gardening

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/l except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Principal
Navjeevan Nursing College
Chandrapur

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sl.No	Activity/Condition to be complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG 125 KVA	Diesel	32.00 Ltr/Hr	2.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


Principal
 Navjeevan Nursing College
 Chandrapur

SCHEDULE-IV**General Conditions**

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Chandrapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.
